

/ OUR PRODUCTS






















<u>Plastic Seals – Indicative – Ajustable strap</u>





Latest generation and high security seal. The metal insert is housed in a welded box to prevent tampering. Different versions to meet all needs. Ideal for closing mailbags and cash.



21 Combinations available: Short Flag (55x22mm) Long Flag (85x22mm) Strap 260 or 330mm Tear-off/Prongs/Hole/Stopper/Rfid Polypropylene



Tensile strength 36 kg

Logo, numbering and Barcode by Thermoimpresion, digital or laser.



Multifunctional. It has a security box to house the insert and prevent unauthorized manipulation. Three sizes of brackets and different strip lengths of 2 mm diameter. Ideal for the meat sector, chemical containers, silos, aerial trolleys, emergency doors, ATM cassettes.



3 models available: TL1: Flag 54x22mm Strap:290mm TL2: Flag 54x22mm Strap:190mm TL7: Flag 68x22mm Strap:290mm

Polypropylene T. S: 15-36 kg Nylon. T.S: 22-26kg



Logo, numbering and Barcode by Thermo-impresion, digital or laser.



Available colours

The longest on the market, 445 mm. length. Cylindrical strip of 3.8 mm. diameter. It has a security box to house the insert and prevent tampering. Diversity of colours. Ideal for tanks and silos.



Flag 54 x 22 mm. marking area: 31 x 18 mm Strap: 285 or 445 mm

Polypropylene




Logo, numbering and Barcode by Thermo-

Tensile strength 31-39 kg

impresion, digital or laser.

Plastic Seals – Indicative – Ajustable strap





TEN-LOK 7 RFID

Available colours

Multifunctional. It has a security box to house the insert and Flag with Rfid tag and different strip lengths of 2 mm diameter. Ideal for the meat sector, chemical containers, silos, aerial trolleys, emergency doors, ATM cassettes.



Available colours

In addition to the same specs as TEN-LOK, this versión has a metalic pigment that is detected by metal detectors. Usually used in Food and Pharmaceutical Industries. Suitable for food contact.



SECURE TITE

Available colours



One-piece seal. Wide variety of shapes, sizes, colors and versions (skewers, tear-off, large bracket, label holder) Ideal for identifying and closing bags

Flag 22 x 68 mm. marking area: 20 x 60 mm Strap: 290 x2 mm

Tensile strength 21 kg



Polypropylene or Nylon.

Logo, numbering and Barcode by Thermo-impresion, digital or laser.



Flag 22 x 54 mm. marking area: 20 x 60 mm Strap: 290 x2 mm

Tensile strength 21 kg

Polypropylene or Nylon.



Logo, numbering and Barcode by Thermo-impresion, digital or laser.



Flag 22 x 68 mm. marking area: 20 x 60 mm Strap: 290 x2 mm

Tensile strength 21 kg

Polypropylene or Nylon.



Logo, numbering and Barcode by Thermo-impresion, digital or laser.

Plastic Seals – Indicative – Fixed lenght



Available colours

Multifunctional. It has a security box to house the insert and prevent unauthorized manipulation. Card with RFID tag and 2 mm diameter strip. Ideal for the meat sector, chemical containers, silos, aerial trolleys, emergency doors, ATM cassettes.




Flag: 39x22 mm Marking area: 17x22 mm Straps available: 150 mm, 240 mm and 300 mm

Polypropylene



Tensile strength 4-6 kg

Logo, numbering and Barcode by Thermoimpresion, digital or laser.



PULL FLY

Available colours

Indicative seal designed for easy application. 1.8mm diameter. It is ideal for sealing small holes in meters and fire extinguishers.



Flag: 24x12 mm Straps available: 150 mm Diameter: 1,8 mm

Polypropylene T. S: 4.8 kg Nylon. T.S: 6-8 kg



Logo, numbering and Barcode by Ink, Thermo-

impresion, digital or laser.



High security seal with two different closure forms, in the form of a loop or longitudinally separating the body from the bracket, Strip of 120 and 215 mm. long and 1.6 mm. diameter. Ideal in Metrology for sealing water or electricity meters and for the airline sector.



Flag: 24x12 mm Straps available: 210 mm Diameter: 1,6 mm

Nylon



Tensile strength 4-6 kg

Logo, numbering and Barcode by Thermoimpresion, digital or laser.

Plastic Seals – Indicative – Fixed lenght







Multifunctional and economical. One-piece seal with different versions (pins, tear-off, label holder). Diversity of colors. Ideal for the identification and sealing of bags.



Flag: 53x22 mm Marking area: 50x20 mm Strap: 360x6 mm

Polypropylene



Tensile strength: 22Kg

Logo, numbering and Barcode by Thermo or Digital impresión.





Available colours

Multifunctional and versatile application. Economic. Easy opening thanks to its tearable



Flag: 30 x 21,9 mm Marking area: 30 x 15 mm Strap: 196 x 3,6 mm

Polypropylene

Tensile strength 13-16 kg

Logo, numbering and Barcode by Thermoimpresion, digital or laser.



Available colours

One-piece seal, RING type. With break point for easy opening. Ideal for securing the closure of containers, wagons and trucks. Applicable for TIR cable



Flag: 42mm Marking area: 20x60mm Strap: 290mm

Polypropylene.



Tensile strength: 22Kg


Logo, numbering and Barcode by Thermo or Digital impresión.

Plastic Seals – Indicative – Padlok closure






Multifunctional PADLOCK type seal. Ideal for sealing openings or small holes such as catering and beverage cabinets for airplanes, electricity meters, water, gas, drums, and especially indicated in the meat sector for sealing livers and viscera.




SECUR HASP I

Available colours

PADLOCK-type seal with manual closure and in different versions. Ideal for catering cabinets, metal drums, tir cable, refrigerated trucks, transport in general and for closing cabinets and keeping keys or gates.





Plastic Seals – Indicative – With twist lock and wire






Available colours

Family of ROTATING CLOSURE seals, ideal for sealing small diameter holes such as metrological meters (water, gas, electricity, taximeters...). It does not require pliers for its application. We have a special resin version for fuel pumps and meters.

EURO TOOL LESS



Flag: 27 x 10,5 mm TOOL LESS DOUBLE FLAG Flag: 16 x 5 mm.



Body Polyester/ Insert ABS Body Resin/ Insert Resin

Logo, numbering, B/C, DIBI by laser



WIRE

Tensil Strength:

Stainless Steel (Coated) -15 - 19kg 0.82mm Stainless Steel (Non-coated) — 13 - 17 kg



Plastic button that replaces lead for sealing meters and scales for both energy and water production companies and meter manufacturers or installers.

It is applied with corrugated wire and special pliers.

Both the button, made of polystyrene, and the wire are self-extinguishing.



Diameter: 10 mm Min. order: 10,000 units



Material: Self-extinguishing polystyrene Option of marking using the press

6 Digits max. to be marked

Other Plastic Seals



BOX SEAL

Anchor seal in one piece. With break point for easy opening. Ideal to ensure the closure of crocodile boxes.



FISH

Anchor seal in one piece. With break point for easy opening. Ideal to ensure the closure of drums for liquids, drums, steel drums, fiber drums 20-2001.



TREE Available colours

Anchor seal in one piece. With break point for easy opening. Ideal to ensure the closure of drums for liquids, fiber drums, steel drums, steel barrels 60-4001





Laser or mould engraved

Min. order: 10,000 units





4 mm hole diameter for attaching label

HOSTALEN Polypropylen

Logo optional.

Min. order: 10,000 units



15 mm hole diameter for attaching label

Polypropylene copolymer




Logo optional.

Min. order: 8,000 units




Other Plastic Seals





Usually used in the Food Industry as a Ham hanger in the drying process. Resistant to weight and temperature changes. Reusable. White color. Ideal for hanging on a hanger or hook. One-piece seal, RING type. With break point for easy opening. Ideal for securing the closure of containers, wagons and trucks. Two versions of maximum security closure





Metallic Seals – High Security Barrier





Semi-barrier metal seal specially designed for T.I.R transport and container traffic. It is the standard customs seal. With optical indication of the correct closure. It requires a tool to open it. Ideal for sea containers.



ADJUSTABLE FLANGE type cable seal. Standard cable 1.5 mm in diameter and 25 cm long. It requires shears to break it. Ideal for valves, transport, land and air and tanks.



Shaft diameter: 7,9 mm Total shaft length: 84,1 mm Head diameter: 24,2 mm

Carbon steel inner shaft and high impact polystyrene cap. ABS coating.

Tensile strength: 1,800 kg.

Numbering, B/C, in laser





Aluminium body and nonpreformed braided steel cable. Tensile strength 330 kg

Numbering, company name, B/C, in laser



F-350-F-500

Available colours

High security ADJUSTABLE FLANGE type cable seals with 3.5 mm and 5 mm diameter braided cable. It requires shears for its opening. Widely used in the transport and logistics sector. Ideal for trucks, tanks, sea and air containers, railway cars, all types of valves and drums.



F-350: Body 26 x 26 mm. Cable: Diameter: 3.5 mm/ length: 300 mm F-500: Body 38 x 30 mm. Cable: Diameter: 5 mm/ length: 300 mm



Aluminium body and nonpreformed braided steel cable. F-350: Tensile strength 1,326 kg F-500: Tensile strength 1,500 kg

Numbering, company name, B/C, in laser

Metallic Seals





SHIPPING-LOK

Available colours

Metal ring type security seal with flat strip made of reinforced metal designed for sealing trucks and transport vehicles, containers, etc. It is the standard customs seal. With optical indication of the correct closure. It requires a tool to open it.



Flag: 80*20 mm Perimeter Closure 200 mm Strip measures: 9x 200 mm

Flag: Polypropylene. Strip: Tin-plated metal Locking Mechanism: Stainless steel Tensile Strength: 70 Kg

Logo, num, B/C by Laser



HARBOR-LOK RFID

Available colours

The seal has a tamper alarm or manipulation alarm system. It consists of a mechanism that is activated when the cable is broken, automatically altering a check digit of the tag.

 \square

When reading the seal with the RFID system, it informs if it has been tampered with.



Aluminum plastic and braided steel cable.

Minimum tensile strength of 30kg

Guaranteed reading distance of 6m

Laser marked



MARVIK

Available colours

INDICATIVE clip-type aluminium seal, specially designed for machines, cabinets and fire extinguishers. It can be applied with metal wire or rope.



Large side: 17 mm, small side: 15 mm Length (closed): 20mm



Aluminium.

Text/logo, numbering by Laser

precintia securing your business

Security Labels

>> Personalized labels that evidence unauthorized manipulation by revealing a hidden message.

- >> Different materials in its manufacture ensure perfect suitability for application on different surfaces.
- >>> Wide range of colors and sizes. Possibility of customization.
- Solution Section 2015 Respectively in the airline industry, hospitality, hospitals, police, offices, transport, trucks, computers, safes, telephones and in any other application where, in an economical way, evidence of unauthorized manipulation is required.
- ✗ For porous surfaces such as cardboard, we have continuous security rolls for closing boxes or large surfaces.





CKR



CKNR





KTL+

Security Labels

Arrow Tag



Lilo Sigillo









Paper / Polypropylene Labels

Ultra Destructible Labels





Security Envelopes

We manufacture a wide range of specific envelopes and bags for each of our customers' needs. With different types of closure and a wide variety of sizes and printing, we can supply you with the ideal product for processing your mailings and correspondence





Security Envelopes

We manufacture a wide range of specific envelopes and bags for each of our customers' needs. With different types of closure and a wide variety of sizes and printing, we can supply you with the ideal product for processing your mailings and correspondence

Envelope for Transportation of Funds



Packing List Pouch



STEB Bag





Personalised Envelopes



precintia securing your business

Security Bags

We manufacture a wide range of specific envelopes and bags for each of our customers' needs. With different types of closure and a wide variety of sizes and printing, we can supply you with the ideal product for processing your mailings and correspondence





Security Bags

- >> Due to its safety, economy and efficiency, SAFEPAK is the most widely used security bag system for sending documentation, correspondence, currency, medicines, IT, etc.
- >> The materials used are recyclable, non-polluting and of the highest quality and durability.
- Wide range of versions, sizes and colors that can be customized according to customer needs.
- >> Our security bags incorporate different patented security closing systems, which, applied to the zipper, show the unwanted opening of the same.



Isothermal Bag





Key holder Bag



Security Bags





Trapezoidal Bag



Flat Bag



Logistics and Monetary Organisation

Coin holder and Euro dispenser

Coin holder



Euro Dispenser



Document classification






Table with shelve



Cupboard table



Loading Platform

Senior







Precintia Seguridad S.L. C/Vic, 26-28 08120 La Llagosta



